



Address:
JAMBU PERSHAD & SONS
6275/22 Nicholson Road,
Ambala Cantt, Haryana,
INDIA
Pin: 133001

Email:
sales@japson.com
japsonambala@yahoo.com

Website:
www.japson.com
Phone:
+91-171-4006897

Burette, Automatic Zero

Product Image



Description

Material:-Borosilicate Glass

A type With Reservoir, Rubber Bellow, Straight Bore Screw Type Glass Key Stopcock (Class B)

B type With Reservoir, Rubber Bellow, Straight Bore Screw Type Glass Key Stopcock (Class A)

C type With Reservoir, Rubber Bellow, Rotaflow Stopcock with PTFE Key (Class B)

D type With Reservoir, Rubber Bellow, Rotaflow Stopcock with PTFE Key (Class A)

E type With Reservoir, Rubber Bellow, Straight Bore PTFE Key Stopcock (Class B)

F type With Reservoir, Rubber Bellow, Straight Bore PTFE Key Stopcock (Class A)

A type: With Reservoir, Rubber Bellow, Straight Bore Screw Type Glass Key Stopcock (Class B)

Catalog No.	Capacity (ml)
JG06201	10
JG06202	25
JG06203	50
JG06204	100

B type: With Reservoir, Rubber Bellow, Straight Bore Screw Type Glass Key Stopcock (Class A)

Catalog No.	Capacity (ml)
JG06301	10
JG06302	25
JG06303	50
JG06304	100

C type: With Reservoir, Rubber Bellow, Rotaflow Stopcock with PTFE Key (Class B)

Catalog No.	Capacity (ml)
JG06401	10
JG06402	25
JG06403	50
JG06404	100

D type: With Reservoir, Rubber Bellow, Rotaflow Stopcock with PTFE Key (Class A)

Catalog No.	Capacity (ml)
--------------------	----------------------

JG06501	10
JG06502	25
JG06503	50
JG06504	100

E type: With Reservoir, Rubber Bellow, Straight Bore PTFE Key Stopcock (Class B)

Catalog No.	Capacity (ml)
JG06601	10
JG06602	25
JG06603	50
JG06604	100

F type: With Reservoir, Rubber Bellow, Straight Bore PTFE Key Stopcock (Class A)

Catalog No.	Capacity (ml)
JG06701	10
JG06702	25
JG06703	50
JG06704	100

Note: Available in white, amber or blue coloured marking. Please specify at the time of quotation/order.

Note: 10ml burette is supplied with 500ml reservoir. 25ml, 50ml and 100ml burettes are supplied with 2000ml reservoirs.

Note: All burettes are available in Schelbach type too.

Disclaimer

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.