



Address:
JAMBU PERSHAD & SONS
6275/22 Nicholson Road,
Ambala Cantt, Haryana,
INDIA
Pin: 133001

Email:
sales@japson.com
japsonambala@yahoo.com

Website:
www.japson.com
Phone:
+91-171-4006897

Centrifuge, Laboratory, Microprocessor Based, 4400 R.P.M.

Product Image



Description

Model : 4M

Specifications:

- Compact Laboratory Centrifuge Machine, Microprocessor based,digital.
- Body made of rust proof ABS Plastic injection moulding with metallic protection bowl.
- Lid lock for safe drive.
- Equipped with 0-99 minute timer.
- 2 lines of 16 character LCD display of r.p.m., r.c.f, for set and run time.
- Programmable speed regulator from 500 to 4400 rpm in interval of 100 rpm.
- Last test parameter recall and displays automatically on LCD.
-

Technical Parameters :

Max. Speed	4400 r.p.m.
Motor	Universal Motor (with carbon brushes) 1/8H.P.
Power	AC 220V 50Hz $\pm 10\%$
Dimension of Machine	L= 395mm, W= 360mm, H = 280 mm
Dimension of outer box	510 x 510 x 390 mm
Net Weight	12.5 kg Approx. Gross Weight with box= 14 Kg
Current	220volts, 50Hz A.C.

The machine comes with any one rotor head, to be selected by customer from below mentioned table.

Swing out	8 x 15ml
Swing out	16 x vacuutainers
Swing out	16 x 12 x75mm / 12x100mm borosil tubes
Angle	12 x 15ml

-

Standard Accessories:

- The above mentioned rotor heads are completed with S.S. tube carriers, suitable Glass/PVC centrifugal tubes, head puller, spanner and rubber cushions.
- Machine is well packed in 5 ply corrugated box.

Centrifuge, Laboratory, Microprocessor Based, 4400 R.P.M.
100728

Catalog No.

Disclaimer

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.