



Address:
JAMBU PERSHAD & SONS
6275/22 Nicholson Road,
Ambala Cantt, Haryana,
INDIA
Pin: 133001

Email:
sales@japson.com
japsonambala@yahoo.com

Website:
www.japson.com
Phone:
+91-171-4006897

Monocular Research Microscope, Coaxial Focussing 45°

Product Image



Description

Body:	45-degrees inclined monocular head rotatable through 360 degrees. Quadruple nose piece with accurate centering and positive click stops, revolves on high grade steel balls & dust proof carrier to ensure smooth rotation & maintain parfocality.
Stage:	Mechanical stage of 120x140mm. Low co-axial drive controls for X-Y movement with fully graduated vernier scale for manipulation of specimen slide.
Focussing:	Co-axial coarse and fine focussing for easy manipulation based on four stage reduction gear system & travelling on ball bearing guide ways with virtually no wear, tear and free from backlash. Tension adjustment ring on one side.
Illumination:	6V-20W halogen lamp or 3W LED white light illumination, operating on 220/110 Volts.
Condenser:	Two lens Abbe condenser N.A. 1.25 with filter support, movable by rack & pinion arrangement.
Eyepiece:	Wide Field 10X and either of Huygenian 5X or 15X.
Objective:	Achromatic DIN Standard 45mm 4X, 10X, 40X SL and 100X SL oil immersion.
Box:	Supplied in a plywood box with essential accessories namely eye guard, filters, immersion oil, vinyl cover, cleaning paper, cleaning brush, dust blower.

Optional Accessories

-Dual Tube

Model	Catalog No.
Monocular Research Microscope, Coaxial Focussing 45° with 6V-20W halogen lamp and Wide Field 10X, Huygenian 5X	JM001301
Monocular Research Microscope, Coaxial Focussing 45° with 6V-20W halogen lamp and Wide Field 10X, Huygenian 15X	JM001302
Monocular Research Microscope, Coaxial Focussing 45° with LED white light and Wide Field 10X, Huygenian 5X	JM001303
Monocular Research Microscope, Coaxial Focussing 45° with LED white light and Wide Field 10X, Huygenian 15X	JM001304

Note: Available LED illumination with 8 hours battery powered operation.

Disclaimer

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.