



Address:
JAMBU PERSHAD & SONS
6275/22 Nicholson Road,
Ambala Cantt, Haryana,
INDIA
Pin: 133001

Email:
sales@japson.com
japsonambala@yahoo.com

Website:
www.japson.com
Phone:
+91-171-4006897

Newton's Rings Apparatus

Product Image



Description

When Light is reflected between a spherical surface and an adjacent touching flat surface, an interference pattern is formed. This phenomenon is called Newton's Rings. The apparatus required to view this interference is called Newton's Rings Apparatus.

In Newton's Rings Apparatus, the light from the Condenser lens incidents on the plane glass inclined at 45 degrees and gets reflected vertically downwards and falls on the combination of plano convex lens and plain glass. Some portion of the light is reflected from the lower convex side of the lens and some portion of light is reflected from the upper side of the plain glass plate. A phase difference is created between the two wave fronts that gives rise to dark and bright concentric rings which are viewed through the microscope provided with a high quality Achromatic objective, a Ramsdons eyepiece and a cross line graticule. The diameter of the rings can be measured using the micrometer.

Sigma Newton's Rings Apparatus is compact in design; consists of a heavy cast iron base with 2 levelling screws. This base carries a 4" x 4" steel box in which the sodium lamp is suspended from a rectangular aluminum top.

Technical Specifications:-

Least count of the micrometer provided is 0.01mm.

Micrometer slide total travel distance is 0-20mm.

-

Newton's Rings Apparatus

Catalog No. 101033

Disclaimer

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.