

Address: JAMBU PERSHAD & SONS 6275/22 Nicholson Road, Ambala Cantt, Haryana, INDIA Pin: 133001 **Email:** sales@japson.com japsonambala@yahoo.com **Website:** www.japson.com **Phone:** +91-171-4006897

# Precision Balance - 200g/300g -0.001g

## **Product Image**



### Description

#### Salient Features

- Auto Calibration with External Weight
- Low Battery Indicator
- Multifunction Weighing Units
- Auto Zero tracking.
- Overload Protection Design
- S.S. Weighing Pan, Level indicator, Adjustable Fit
- High Resolution, Quick Weighing, Accurate Result
- RS232C Interface
- In built rechargeable battery for PGB 200 only.

|                | MODEL                 | PGB200             | PGB301 |
|----------------|-----------------------|--------------------|--------|
| SPECIFICATIONS | Capacity              | 200 g              | 300 g  |
|                | Readability           | 0.001 g (1 mg)     |        |
|                | Repeatability ( ± )   | 0.001 g            |        |
|                | Linearity ( ± )       | 0.002 g            |        |
|                | Pan Size              | 80 mm Ø            |        |
|                | Display               | LCD with backlight |        |
|                | Calibration           | Automatic External |        |
|                | Tare Range            | Full               |        |
|                | Operating Temperature | 10°C to 40°C       |        |
|                | Power supply          | AC 220V/ 50-60 Hz  |        |
|                | Dimension (LxWxH) mm  | 415 x 405 x 295    |        |
|                | Weight                | 5.7 kg             |        |

Precision Balance - 200g/0.001g Precision Balance - 300g/0.001g Catalog No. 101138 (A) Catalog No. 101138 (B)

#### Disclaimer

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.