



Address:
JAMBU PERSHAD & SONS
6275/22 Nicholson Road,
Ambala Cantt, Haryana,
INDIA
Pin: 133001

Email:
sales@japson.com
japsonambala@yahoo.com

Website:
www.japson.com
Phone:
+91-171-4006897

Soxhlet Heating Mantle

Product Image



Description

For fat extraction. The unit consists of a compact rectangular box section of metal, housing the heating elements and built in controls. The flexible and elastic heating elements ensure close contact with the flask surface and even distribution of heat over the entire surface. In case of spillage, the solvents will either evaporate or escape through the drain holes provided under recess. High thermal insulation of glasswool backing the heating elements minimises the heat losses. Every flask recess is provided with a pilot lamp and a regulator or toggle switch. The built in energy regulators are provided to facilitate good control of temperature. External cases are finished with heat and maar resistant epoxy-polyster paint.

Particulars	Catalog No.
100-150 ml, 300 watts, 3 flask recess, 1 regulator, 3 switches	JA21860
250 ml, 450 watts, 3 flask recess, 1 regulator, 3 switches	JA21861
500 ml, 600 watts, 3 flask recess, 1 regulator, 3 switches	JA21862
1000 ml, 900 watts, 3 flask recess, 1 regulator, 3 switches	JA21863
100-150 ml, 300 watts, 3 flask recess, 3 regulator	JA21864
250 ml, 450 watts, 3 flask recess, 3 regulator	JA21865
500 ml, 600 watts, 3 flask recess, 3 regulator	JA21866
1000 ml, 900 watts, 3 flask recess, 3 regulator	JA21867
100-150 ml, 600 watts, 6 flask recess, 1 regulator, 6 switches	JA21868
250 ml, 900 watts, 6 flask recess, 1 regulator, 6 switches	JA21869
500 ml, 1200 watts, 6 flask recess, 1 regulator, 6 switches	JA21870
1000 ml, 1800 watts, 6 flask recess, 1 regulator, 6 switches	JA21871
100-150 ml, 600 watts, 6 flask recess, 6 regulator	JA21872
250 ml, 900 watts, 6 flask recess, 6 regulator	JA21873
500 ml, 1200 watts, 6 flask recess, 6 regulator	JA21874
1000 ml, 1800 watts, 6 flask recess, 6 regulator, 1 switches	JA21875

Disclaimer

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.